	T - 10 - 40 - A1.	1 4
	Application No.	Applicant(s)
Notice of Allowability	10/715,866 Examiner	KRUSE, JOERG Art Unit
,		
	Sharidan Carrillo	1746
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to After-Final Amendment filed 12/27/2005.		
2. The allowed claim(s) is/are 2,3,5 and 8-16.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 		
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Dat 08), 7. ☑ Examiner's Amendr	ie
of Biological Material	9. Other SHARIDAN C	ARRILLO KAMINER

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ms. Kathleen Proctor on 1/3/2006.

The application has been amended as follows:

<u>Specification</u>: page 1, paragraph 1, after, "December 9, 2002" insert –now U.S. Patent 6,739,950--

<u>Claim 2</u>: line 2, delete "10% to 90% and 40% to 60%" and replace with – 10%:90% to 40%:60%--.

Claim 15:

Line 11, deleted ",input"

Line 19, after "whereby" insert –an inner surface of—

Line 21, before "entire" insert –inner surface of the—

Claim 16:

Line 9, after "along" insert –the inner surface of—

Line 15, after "along" insert –the inner surface of—

Line 17, before "entire" insert –inner surface of the—

Application/Control Number: 10/715,866 Page 3

Art Unit: 1746

2. The following is an examiner's statement of reasons for allowance: The prior art fails to teach the limitations as recited in claim 15. Specifically, the prior art fails to teach adjusting the ratio between the first and second flow rates for each new pipe section to be cleaned to steer the gas and abrasive particle mixture in a predetermined direction along the selected pipe section.

Applicant has amended claim 15 in independent form, incorporating the subject matter of claim 1. All other claims are dependent on claim 15. In an interview with Ms. Kathleen Proctor, on 1/3/2006, the examiner suggested amending the claims further in order to correct 112, second paragraph issues. Authorization to amend the claims by Examiner's Amendment was granted.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sharidan Carrillo whose telephone number is 571-272-1297. The examiner can normally be reached on M-W 6:30-4:00pm, alternating Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr can be reached on 571-272-1414. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/715,866 Page 4

Art Unit: 1746

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sharidan Carrillo Primary Examiner Art Unit 1746

bsc

SHARIDAN CARRILLO PRIMARY EXAMINER